# Property Report

- **This information has been computer generated from Tasman District Council records and has not been reviewed by Tasman District Council. It is provided for information only and while Tasman District Council takes all due care, it does not guarantee the accuracy or completeness of this information. It is not a Land Information Memorandum or property file and cannot be relied upon as such.**
- The use of this tool is subject to our Terms of Use.
- This Property Report has been produced at the issued date and is valid only as a statement of Council's information at that date.
- A valuation assessment can consist of multiple land parcels. The information in this report covers the entire valuation assessment. If you are only interested in part of the land, you must wait until the subdivision of the land is complete before we can provide information that applies only to the newly subdivided valuation assessment.
- Council records may not show illegal or unauthorised building works on the property.

## Further Information

- A full Land Information Memorandum can be requested online
- We have a file of information on almost every property in the region. You can request a digital copy of the file. Our website has more information about viewing property files
- Additional spatial data is available at www.topofthesouthmaps.co.nz
- Other rules defined in the Tasman Resource Management Plan (TRMP) may also apply to this property. The TRMP is available online at www.tasman.govt.nz.

# Property Summary



## Property Location

| Valuation | Legal Description | Address | Suburb | Area (ha) |
|---|---|---|---|---|
| 1939043818 | LOT 8 DP 16740 | 24 Malthouse Crescent | Brightwater | 0.0711 |

## Rating Valuation and Rates

Rating valuations are included for the current rating year. New rating valuations for the coming rating year (if different) can be viewed online via the rates search: https://tasman.govt.nz/my-property/rates/search/

| Capital Value | Land Value | Improvements | Valuation Date | Annual Rates |
|---|---|---|---|---|
| $830000 | $420000 | $410000 | 01/09/2023 | $5581.16 |

## Rates Breakdown

The Annual Rates in the table above are broken down for the current financial year as follows:

| Financial Year | Rate | Units | Rate Value |
|---|---|---|---|
| 2027 | General Rate | 830000 | 1840.94 |
| 2027 | Uniform Annual General Charge | 1 | 429.00 |
| 2027 | Wastewater - 1st Pan | 1 | 1280.50 |
| 2027 | WaimeaComDam-Env&ComBen-Distri | 1 | 76.69 |
| 2027 | WaimeaComDam-Enviro&ComBen-ZOB | 830000 | 57.27 |
| 2027 | Refuse/Recycling Rate | 1 | 140.29 |
| 2027 | Shared Facilities Rate | 1 | 74.92 |
| 2027 | Mapua Rehabilitation Rate | 1 | 3.66 |
| 2027 | 2025 Weather Event Recovery Rate | 1 | 123.48 |
| 2027 | Museums Facilities Rate | 1 | 74.34 |
| 2027 | District Facilities Rate | 1 | 142.53 |
| 2027 | Urban Wat.Supply- Serv Chge | 1 | 605.48 |
| 2027 | Regional River Works- Area Y | 830000 | 267.26 |
| 2027 | Stormwater UDA | 830000 | 464.80 |

## Water Meter Information

| Water ID | Meter Reader Note | Meter Id | Last year units |
|---|---|---|---|
| W30940 | | 14MC188992 | 270 |

## Services

This property is serviced under the following water, sewerage, and stormwater schemes.

| Scheme or Supply | Service Provided |
|---|---|
| Stormwater UDA | Stormwater |
| Tasman Waste Water | Wastewater |
| Urban Water Supply | Water Supply |

## Wheelie Bins

This property has had the following wheelie bin(s) delivered.

| Bin Size | Serial Number | Delivered on | Delivered to |
|---|---|---|---|
| Single 240 | 2415970 | 08/06/2015 | 24 Malthouse Crescent, Brightwater |

## Air Shed

This property does not sit within a controlled Air Shed.

## Planning Zones

The following Planning Zones pertain to this property. Please refer to the Tasman Resource Management Plan or contact a Duty Planner for detailed information about what activities can take place in a zone.

| Zone | Zone Description |
|---|---|
| Residential | The Residential Zone primarily provides for residential dwellings. Small-scale home businesses, community activities and facilities may also be appropriate where they are compatible with the residential environment |

# Consents, Permits and Licences

## Building Consents

Please note that if a Code Compliance Certificate has not been issued, it is strongly advised that the process is completed in order to confirm that the work is in compliance with the Building Code.

| Application Date | BC Number | Proposal | Status | Issue Date |
|---|---|---|---|---|
| 01/06/1994 | 940878 | TO BUILD NEW DWELLING HOUSE | Code Compliance Certificate Issued | 01/05/1998 |

## Compliance Schedule

No Compliance Schedule records are available for this property.

## Building Permits

No historical building permits have been found for this property.

## Swimming Pools

This property is noted as having a Swimming Pool.

| Notes | Issue Date |
|---|---|
| Pool Compliant | 05/02/2025 |
| Pool does not comply. Gate needs to self close and latch. East gate needs to be built. Reinspection required. | 26/01/2004 |
| Pool reinspected and now complies. | 07/10/2010 |
| Swimming pool: PARA 30,000 litres YES GW | 28/01/1997 |

## Resource Consents

No Resource Consent records are on record for this property.

## Planning Permits

No historical planning permits have been found for this property.

## Environmental Health and Licences

The following licences pertain to this property.

| Licence Type | Business | Status | Expiry Date |
|---|---|---|---|
| Swimming Pool or Spa | Miranda & Daniel Wright | Pool Compliant | 05/02/2028 |

# Aerial Property View

Thursday, 19 November 2026



# Pipes and Rubbish Collection

Thursday, 19 November 2026

